

## SUPERFLEX PRINT

XP3122 50cm wide · XP3123 75cm wide

Superflex Print is an ultra thin (50 micron) printable media for solvent and latex inks, including HP's latex inks. Create stunning printed designs with this soft, thin and easy-to-weed media.

50cm & 75cm samples are available free of charge upon request.

### STEP BY STEP

#### STEP 1

Print your design on the smooth matt side (Do not mirror image). Allow to dry for 2 hours.

#### STEP 2

Weed away any excess material. Cover the transfer with application tape and using a hard squeegee, using heavy pressure, remove any air bubbles. Turn over and peel the backing away.

#### STEP 3

Place transfer face up onto the garment (application tape on top) cover with a silicone sheet and press for 20 seconds at 160°C.

#### STEP 4

Once pressed, remove the silicone sheet and peel hot.

MICRONS	FINISH	TACK	PEEL	PU OR PVC
50	MATT	NO	HOT	PU

### PRODUCT INFORMATION

<b>SIZE:</b>	50cm & 75cm wide x 20m rolls
<b>CUTTING FORCE:</b>	Film Blade* (Roland: from 40gf / Mimaki: from 30gf)
<b>APPLICATION TAPE:</b>	Standard or Universal
<b>DRYING TIME:</b>	2 hours

### SUITABLE FOR

COTTON  
POLYESTER  
POLY/COTTON

### TRANSFER SETTINGS

<b>TIME</b>	20 seconds
<b>TEMP</b>	160°C
<b>PRESSURE</b>	Medium
<b>PEEL</b>	Hot

### CARE INFORMATION

WASH UP TO 60°C INSIDE OUT  
DO NOT DRY CLEAN  
CAN BE TUMBLE DRIED  
CAN BE IRONED INSIDE OUT  
STORAGE (Store vertically in a dry room between 15-30°C)

### ACCREDITATIONS

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100  
HOHENSTEIN HTTI  
CLASS 1  
Tested for harmful substances.  
www.oeko-tex.com/standard100



### PRINT SETTINGS

Refer to 'Textile Transfer Print Settings' sheet.

\* All force testing has been undertaken using a NEW film blade on a Roland SP300I and a Mimaki CJV150-75. The force will increase with the age of the blade, therefore always test prior to use.

**PLEASE NOTE:** The sellers and manufacturers maximum obligation shall be to replace any product that has been proven to be defective. Neither the seller nor the manufacturer of Superflex Print shall be liable for any injury direct or consequential, arising out of the use of, or inability to use this range. Superflex Print has been tested using Kustom Kit garments, when applying to other garment brands results may vary, testing prior to purchase is recommended.